


Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>

Diamond Resin Pads



R-0# 3 inch polishing pad

Size:3"

Thickness: 4.5mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG): 0.03

Package: 10pcs/inner color box(10*10*6CM3) or blister PE stretched film

450pcs/carton (34*33*32),15.5KG/CT,
or 900pcs/carton(52*33*32.5), 30.5KG



R-1# 3 inch polishing pad

Size: 3"

Thickness: 5.3mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG): 0.04

Package: 10pcs/inner color box(10*10*6CM3) or b PE stretched film, 450pcs/carton (34*33*32),20KG/CT,
or 990pcs/carton(54*34*34.5), 41.5KG



Name: R-1 polishing pad with white material

Size: 3"

Thickness: 5.3mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG): 0.037



Name: R-1 polishing pad with white material

Size: 4"

Thickness: 5.3mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#


Function: For stone & concrete grinding & polishing

Unit weight(KG): 0.04

Package: 10pcs/inner color box(10*10*6CM3) or b PE stretched film, 450pcs/carton (34*33*32),20KG/CT,
or 990pcs/carton(54*34*34.5), 41.5KG

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dqmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>



R-0 #4" polishing pad

Size: 4"

Thickness: 4.5mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG): 0.03

Package: 10pcs/inner color box(10*10*6CM3) or blister PE stretched film

450pcs/carton (34*33*32),15.5KG/CT,
or 900pcs/carton(52*33*32.5), 30.5KG



R-1# 4" polishing pad

Size: 4"

Thickness: 5.3mm


Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG): 0.04

Package: 10pcs/inner color box(10*10*6CM3) or b PE stretched film,

450pcs/carton (34*33*32), 20KG/CT,
or 990pcs/carton(54*34*34.5), 41.5KG



R-2 polishing pad

Size: 4"

Thickness: 7mm


Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG): 0.0485

Package: 10pcs/inner color box(10*10*6CM3) or b PE stretched film,

450pcs/carton (34*33*32),24KG/CT,
or 990pcs/carton(54*34*34.5), 50KG



R-3 polishing pad

Size: 3" 4" 5" 6"

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#


Thickness: 4.1mm/4.5mm/5.3mm

Function: For stone, ceramic & concrete grinding & polishing, Specially for Marble

Unit weight(KG): 0.01578/0.02713/0.04577

Package: 10pcs/inner color box(10*10*6CM3) or PE stretched film ,

450pcs/carton(34*33*32),14.5KG/CT, or
900pcs/carton(52*33*32.5),27KG



Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>

R-4 polishing pad

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#


Size: 4" Thickness: 4.27mm

Function: For stone, ceramic & concrete grinding & polishing

Unit weight(KG): 0.02535

Package: 10pcs/inner color box(10*10*6CM3) or PE stretched

film ,450pcs/carton(34*33*32),14.5KG/CT, or 900pcs/carton(52*33*32.5),27KG



R-5 polishing pad

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Size: 4" Thickness: 4.5mm

Function: For stone, ceramic & concrete grinding & polishing

Unit weight(KG): 0.02778

Package: 10pcs/inner color box(10*10*6CM3) or PE stretched film ,450pcs/carton(34*33*32),14.5KG/CT, or 900pcs/carton(52*33*32.5),27KG



5" polishing pad

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Size: 5"

Thickness: 5.3mm

Function: For stone, ceramic & concrete grinding & polishing




6" polishing pad

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Size: 6"

Thickness: 5.3mm

Function: For stone, ceramic & concrete grinding & polishing



DF dry polishing pad

Size: 4"

Thickness 3.0mm

Function: For stone & concrete grinding & polishing

Package: 10pcs/inner color box(10*10*6CM3) or PE stretched



Final polishing pads


Size: 4"

Thickness 3.7mm

Function: For stone & concrete grinding & polishing

Unit weight(KG): 0.03060

Package: 10pcs/inner color box(10*10*6CM3) or PE



Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China

Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650

E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>

	film ,450pcs/carton(34*33*32),15.5KG/CT, or 900pcs/carton(52*33*32.5),30.5KG		stretched film ,450pcs/carton(34*33*32),15.5KG/CT, or 900pcs/carton(52*33*32.5),30.5KG
	Polishing pad Size: 4" Function: For stone & concrete grinding & polishing		Apollo 4 inch Renovation pad Size: 4" Thickness: 13.3mm Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000# ,1500#,2000#,3000# Function: For stone & concrete grinding & polishing Unit weight(KG):0.12 Package:5PCS/PE stretched film , 320pcs/CT,39kg/CT

Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>



F-21# Renovation pad

Size: 3"

Thickness: 14mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG):0.066

Package:5PCS/PE stretched film , 320pcs/CT, 23kg/CT



F-22 Renovation pad

Size: 3"

Thickness: 14mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG):0.05

Package:5PCS/PE stretched film , 320pcs/CT, 23kg/CT



F-23 Renovation pad

Size: 3"

Thickness: 13.26mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG):0.0514

Package:5PCS/PE stretched film , 320pcs/CT, 23kg/CT



F-24# Renovation pad

Size: 3"


Grit:1#,2#,3#,4#

Thickness 12.9mm

Function: For stone & concrete grinding & polishing
Specially for granite and concrete

Unit weight(KG): 0.02664

Package: Package:5PCS/PE stretched film , 320pcs/CT,12kg/CT



Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>



F-25# Renovation pad

Size: 3"

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,
1500#,2000#,3000#

Thickness 13.8mm

Function: For stone & concrete grinding & polishing
Specially for granite and concrete

Unit weight(KG): 0.02664

Package: Package:5PCS/PE stretched film ,
320pcs/CT,12kg/CT



Dangsing-24#
3 " hard polishing pad



F-26 Multi-Star concrete Polishing pad

Size: 4"

Thickness: 9mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#
,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG):0.10

Package:5PCS/PE stretched film , 320pcs/CT,35kg/CT



F-26B Durable Concrete Special Diamond Polishing Pads

Size: 4"

Thickness: 6mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,
1500#,2000#,3000#

Function: For concrete grinding & polishing

Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjia District , Dongguan City , Guangdong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>



F-27# 3" Renovation pad

Size: 3"

Thickness: 14mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,
1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG):0.066

Package:5PCS/PE stretched film , 320pcs/CT,
23kg/CT



F-27# 4" Renovation pad

Size: 4"

Thickness: 12.5mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#
,1500#,2000#,3000#

Function: For stone & concrete grinding & polishing

Unit weight(KG):0.12

Package:5PCS/PE stretched film , 320pcs/CT,39kg/CT



F-28# 5 inch Renovation pad

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#,
1500#,2000#,3000#

Size: 5"

Thickness: 8mm

Function: For stone,ceramic & concrete grinding &
polishing

Specialy for Marble

Unit weight(KG): 0.075



F-29# 6 inch Renovation pad

Grit:1#, 2#,3#, 4#, 5#

Size: 6"

Thickness: 12mm

Function: For stone,ceramic & concrete grinding &
polishing

Specialy for Marble

Unit weight(KG):

Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>



Z-31# Pro Terrazzo plug Disc

Size: 3"

Thickness: 6.7mm

Grit:30#,60#,100#,120#,

Function: For stone & concrete grinding with better effect

Unit weight(KG):0.03779



Z-32# Pro Terrazzo plug Disc

Size: 4" 5"

Thickness: 3.7mm/4.09mm

Grit:30#,60#,100#,120#,

Function: For stone & concrete grinding with better effect

Unit weight(KG):0.03404/0.05101



Z-33# 6 inch Pro Terrazzo plug Disc

Size: 6"

Thickness:9mm

Grit:30#,60#,100#,120#,

Function: For stone & concrete grinding with better effect

Unit weight(KG):0.04777



Z-33# 8 inch Pro Terrazzo plug Disc

Size: 6"

Thickness:10.16mm

Grit:30#,60#,100#,120#,

Function: For stone & concrete grinding with better effect

Unit weight(KG):0.19071

Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>



Z-34# Pro Terrazzo plug Disc


Size: 4"

Thickness: 10.7mm

Grit:30#,50#,100#,120#,

Function: For stone & concrete grinding with better effect

Unit weight(KG):0.1164




Z-34# Disc without metal bond

Size: 4" Thickness: 8.5mm

Grit:50#,100#,150#,200#,300#,400#,500#,800#,1000#
,1500#,2000#,3000#

Function: For stone & concrete grinding with better effect

Unit weight(KG):0.07



Z-35# Pro Terrazzo plug Disc

Size: 4"

Thickness: 10.7mm

Grit:30#,60#,100#,120#,

Function: For stone & concrete grinding with better effect

Unit weight(KG):0.1164



Z-36# Pro Terrazzo plug Disc

Size: 4" 5"

Thickness: 13.39mm

Grit:30#,50#,100#,120#,

Function: For stone & concrete grinding with better effect

Unit weight(KG):0.13869/0.18282



Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>

Diamond Grinding Disc



J-001 Gold bowl-shaped grinding disc

Size: 4"
Dia: 3.0mm+2mm
Grit: 30#
Function: For concrete grinding
Unit weight(KG): 0.21



J-001 Blue bowl-shaped grinding disc

Size: 4"
Dia: 3.0mm+2mm
Grit: 30#
Function: For concrete grinding
Unit weight(KG): 0.21



J-002 Gold 12 teeth grinding disc

Size: 4"
Dia: 4.6+2mm
Grit: 30#50#100#150#300#
Function: For concrete grinding
Unit weight(KG): 0.2



J-002 Blue 12 teeth grinding disc

Size: 4"
Dia: 4mm+2mm
Grit: 30#50#100#150#300#
Function: For concrete grinding
Unit weight(KG): 0.2



J-003 Gold 7 heads grinding disc

Size: 4"
Thickness:6.7+2mm Grit: 30#
Function: For concrete grinding
Unit weight(KG):0.21
Package:1pc / plastic transparent box,
70pcs/Carton ,
33*33*33cm³ ,16.5KG/Carton



J-004 3 Inch 8 Teeth Metal Diamond Grinding Disc

Size: 3"
Grit: 60#100#150#300#
Function: For concrete grinding

Dongguan Merrock Industry Co.,Ltd
Lucy Luo

Dongguan Merrock Industry Co.,Ltd

A-402 Room , DiDu Yuan , Metropolis Plaza , Wanjiang District , Dongguan City , GuangDong Province , China
Contactor: Lucy Luo Tel: 86-769-23291955 Fax: 86-769-23152826 Mobile:86-18929453650
E-Mail: dgmerrock@hotmail.com Web: <http://www.stonefloorpolisher.com/>



J-005

Fan diamond grind disc

Size: 3"

Dia: As 30# diamomd

Function: For concrete grinding

Unit weight(KG): 0.28



J-006 3 teeth diamond grinding disc

Size: 3" Grit: 60#,80#,150#,300#

Function: For stone leveling, concrete grinding

Unit weight(KG): 0.12

Package: 2pcs/inner box,
160pcs/carton,33*33*33CM³,22KG/Carton




J-007 3 Hold 3 teeth Metal Diamond Grinding Disc

Size: 4"

Grit: 30# 50# 150#

Function: For concrete grinding



J-008

4 Inch Metal Diamond Grinding Disc

Size: 4" Grit: 30#50#100#200#300#

Function: For concrete grinding

Unit weight(KG):0.21

Package:1pc / plastic transparent box,
70pcs/Carton

33*33*33cm3 ,16.5KG/Carton



J-009

4 Inch Metal Diamond Stick Grinding Disc

Size: 4" Grit: 30#

Function: For concrete grinding

Unit weight(KG):0.21

Package:1pc / plastic transparent box,
70pcs/Carton

33*33*33cm3 ,16.5KG/Carton

Dongguan Merrock Industry Co.,Ltd
Lucy Luo